


ALL PAGES OF THIS VERSION APPROVED  
 SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_


REV.	DESCRIPTION	DATE
A	修改逻辑走线	20-06-2014



VIEWING DIRECTION

SPECIFICATIONS

DISPLAY MODE : TN, POSITIVE MODE  
 DRIVE CONDITION : 1/4 DUTY, 1/3 BIAS  
 VIEWING DIRECTION : 6 O'CLOCK  
 OPERATING TEMP : 0°C TD +60°C  
 STORAGE TEMP : -10°C TD +60°C  
 OPERATING VOLTAGE: 3.0 V  
 FRONT POLARIZER : TRANSMISSIVE, ADHESIVE  
 BACK POLARIZER : REFLECTIVE, ADHESIVE  
 CUSTOMER ND.: PXC88092AD  
 CONNECTORS : PIN



**特殊工艺:**

GENERAL TOL ALL UNITS		DATE		MODEL NUMBER :		SHEET: 1 OF 4	
0.20	MM	20-06		PX78013		DATE: 20-06-2014	
DWN:	WZW	20-06		DD NOT SCALE THIS DRAWING		PROJECTION	
CHK:	LXF	20-06					
APP:	QAY	20-06					

ALL PAGES OF THIS VERSION APPROVED

SIGNATURE: \_\_\_\_\_

DATE: \_\_\_\_\_

REV. \_\_\_\_\_


DESCRIPTION

DATE

A

修改逻辑走线

20-06-2014




PIN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
COM1	N27	N23	N17	N16	7F	7A	8F	8A	9F	9A	N9	N13	1F	1A	2F	2A
COM2	N28	N24	N18		7G	7B	8G	8B	9G	9B	N10	N14	1G	1B	2G	2B
COM3	N29	N25	N19	N21	7E	7C	8E	8C	9E	9C	N11	N15	1E	1C	2E	2C
COM4	N30	N26	N20		7D		8D	N8			N12		1D	N1		N2

PIN	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
COM1	3F	3A	4F	4A	N31	N34	N39	N44	5F	5A	6F	6A				COM1				
COM2	3G	3B	4G	4B	N32	N35	N40	N45	5G	5B	6G	6B		COM2						
COM3	3E	3C	4E	4C		N36	N41	N46	5E	5C	6E	6C		COM3						
COM4	3D	N3	4D	N4	N33	N37	N42	N43	5D	N5	6D	N6	COM4							



特殊工艺:

GENERAL TOL ALL UNITS		DATE	MODEL NUMBER :	SHEET: 2 OF 4
0.20	MM	20-06	PX78013	
DWN:	WZW	20-06		
CHK:	LXF	20-06		
APP:	QAY	20-06	DO NOT SCALE THIS DRAWING.	DATE: 20-06-2014
			PROJECTION	



ALL PAGES OF THIS VERSION APPROVED  
 SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

REV.	DESCRIPTION	DATE
A	修改逻辑走线	20-06-2014



SEG



COM

特殊工艺:

GENERAL TOTAL UNITS		DATE	MODEL NUMBER :		SHEET: 3 OF 4
0.20	MM	20-06	PX78013		
DWN: WZW		20-06			DATE: 20-06-2014
CHK: LXF		20-06			
APP: CAY		20-06	DO NOT SCALE THIS DRAWING.	PROJECTION	

ALL PAGES OF THIS VERSION APPROVED  
 SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

REV.	DESCRIPTION	DATE
A	修改逻辑走线	20-06-2014



黑色丝印印在底玻璃上

全显效果图

特殊工艺:

GENERAL TOL ALL UNITS		DATE		MODEL NUMBER :	PROJECTION	SHEET: 4 OF 4
0.20	MM	20-06	20-06			
DWN:	WZW	20-06	20-06	PX78013PX78013	DATE: 20-06-2014	
CHK:	LXF	20-06	20-06			
APP:	QAY	20-06	20-06	DO NOT SCALE THIS DRAWING.		